

<i>For Question 1 (Chief Complaint and number of male and female patients</i>	
Question 2: Total number of patients attending A&E departments in 2017	133,891
Question 3: Total number of patients attending A&E departments in 2017 unregistered to a GP Practice/'Not known'	7,041

Chief Complaint	Sex	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Missing data	Female	5,061	4,709	5,406	5,109	5,616	5,199	5,383	4,988	2,192	218	23	66
Missing data	Indeterminate			<5	<5	5	6	<5	<5	<5			
Missing data	Male	5,412	5,030	6,127	5,705	6,067	5,807	6,170	5,620	2,593	283	36	72
Missing data	Not Known		6	<5	<5	<5	5	<5	8	<5	<5		
Short of breath	Female									182	351	414	430
Short of breath	Male									199	420	516	568
Injury of shoulder / arm / elbow / wrist / hand	Female									163	386	392	306
Injury of shoulder / arm / elbow / wrist / hand	Male									259	557	438	351
Injury of shoulder / arm / elbow / wrist / hand	Not Known										<5		
Injury of hip / leg / knee / ankle / foot	Female									162	388	351	321
Injury of hip / leg / knee / ankle / foot	Male									204	396	403	302
Abdominal pain	Female									224	392	379	336
Abdominal pain	Male									125	257	251	228
Chest pain	Female									157	264	217	243
Chest pain	Male									167	333	300	289
Eye review	Female									218	302	267	201
Eye review	Indeterminate												<5
Eye review	Male									201	323	233	189
Red eye	Female									143	225	293	254
Red eye	Male									160	242	298	232
Red eye	Not Known									<5		<5	
Head injury	Female									99	182	194	192
Head injury	Male									192	314	344	291
Head injury	Not Known											<5	<5
Fever	Female									99	215	261	298
Fever	Male									86	251	259	318
Visual disturbance	Female									134	253	275	194
Visual disturbance	Male									83	217	199	180

Pain in / around eye	Female									82	240	264	212
Pain in / around eye	Indeterminate									<5			
Pain in / around eye	Male									74	213	188	214
Difficulty breathing	Female									56	91	137	124
Difficulty breathing	Indeterminate									<5			
Difficulty breathing	Male									80	146	245	193
Vomiting + / - nausea	Female									56	104	129	123
Vomiting + / - nausea	Male									68	92	119	123
Drug / alcohol intoxication or withdrawal	Female									53	93	69	68
Drug / alcohol intoxication or withdrawal	Male									91	151	82	104
Drug / alcohol intoxication or withdrawal	Not Known									<5	<5	<5	
Rash	Female									49	99	87	92
Rash	Male									50	76	113	96
Localised swelling / redness / lumps / bumps	Female									48	76	62	77
Localised swelling / redness / lumps / bumps	Male									50	134	95	102
Seizure (fit)	Female									40	58	58	77
Seizure (fit)	Male									63	97	110	104
Seizure (fit)	Not Known									<5	<5		
Headache	Female									52	81	85	81
Headache	Male									59	91	91	59
Noisy breathing	Female									36	73	63	47
Noisy breathing	Male									51	94	101	69
Facial injury	Female									26	51	46	45
Facial injury	Male									48	103	114	98
Wound : laceration	Female									38	41	32	49
Wound : laceration	Male									74	69	81	93
Self-harm	Female									53	82	85	75
Self-harm	Male									30	48	44	45
Collapse / fainting episode	Female									19	51	82	56
Collapse / fainting episode	Male									30	50	62	91
Collapse / fainting episode	Not Known									<5			
Pain in hip / leg / knee / ankle / foot	Female									22	48	82	51
Pain in hip / leg / knee / ankle / foot	Male									45	57	75	61
Palpitations	Female									34	73	58	46
Palpitations	Male									28	44	53	62
Palpitations	Not Known									<5			
Generalised weakness	Female									25	41	57	69
Generalised weakness	Male									28	68	50	52
Facial pain (inc. toothache)	Female									26	44	52	54

Facial pain (inc. toothache)	Male									33	53	61	64
Direct referral to inpatient unit	Female									7	53	48	63
Direct referral to inpatient unit	Indeterminate										<5		
Direct referral to inpatient unit	Male									8	61	72	70
Pain in shoulder / arm / elbow / wrist / hand	Female									26	28	74	44
Pain in shoulder / arm / elbow / wrist / hand	Male									29	41	67	60
Eye injury	Female									28	32	30	41
Eye injury	Male									47	69	69	48
Foreign body on eye	Female									9	30	23	23
Foreign body on eye	Male									48	90	79	50
Ear : pain	Female									18	37	40	41
Ear : pain	Male									12	32	35	63
Throat : sore	Female									18	34	37	50
Throat : sore	Male									18	33	31	38
Injury of lower back	Female									24	27	29	34
Injury of lower back	Male									26	36	50	23
Falls / unsteady on feet	Female									26	25	23	52
Falls / unsteady on feet	Male									25	31	20	41
Nose : bleeding from nose	Female									10	27	27	22
Nose : bleeding from nose	Male									18	19	32	59
Suicidal thoughts	Female									20	24	35	21
Suicidal thoughts	Indeterminate											<5	
Suicidal thoughts	Male									19	37	22	20
Suicidal thoughts	Not Known									<5	<5		
Backache (no recent injury)	Female									11	41	21	20
Backache (no recent injury)	Male									25	26	33	22
Burn	Female									13	23	25	27
Burn	Male									14	25	40	29
Confusion	Female									12	17	19	29
Confusion	Male									20	38	25	33
Poisoning from any source	Female									16	28	27	30
Poisoning from any source	Male									13	26	20	18
Injury of thorax	Female									<5	19	16	12
Injury of thorax	Male									28	34	35	22
Diarrhoea	Female									19	13	21	24
Diarrhoea	Male									18	21	19	23
Crying infant	Female									11	19	10	19
Crying infant	Male									14	31	20	31
Neck pain	Female									18	12	19	16
Neck pain	Male									9	21	27	24
Behaviour : unusual	Female									12	27	18	13
Behaviour : unusual	Male									14	15	25	20
Pregnancy related : less than 20 weeks	Female									24	39	36	44
Dizziness	Female									16	27	15	23

Dizziness	Male									9	18	9	18
Pain on passing urine	Female									17	31	14	30
Pain on passing urine	Male									5	12	13	12
Discharge from eye	Female									8	17	11	32
Discharge from eye	Male									12	18	14	22
Blood in stools	Female									7	17	14	13
Blood in stools	Male									<5	25	26	27
Vomiting blood	Female									6	13	20	16
Vomiting blood	Male									13	16	25	22
Vaginal bleeding (abnormal)	Female									23	35	35	33
Pain in scrotum / testes	Male									12	36	38	37
Limb weakness	Female									11	19	12	18
Limb weakness	Male									11	15	17	17
Drowsy (altered level of consciousness)	Female									10	15	22	19
Drowsy (altered level of consciousness)	Male									9	9	14	15
Postoperative / wound care (no complication)	Female									5	21	12	12
Postoperative / wound care (no complication)	Male									7	18	17	17
Hyperglycaemia	Female									14	13	13	14
Hyperglycaemia	Male									13	10	13	15
Foreign body in digestive tract	Female									<5	7	13	19
Foreign body in digestive tract	Male									12	14	20	11
Injury of neck	Female									<5	11	15	12
Injury of neck	Male									6	18	12	16
Flank pain	Female									10	22	11	14
Flank pain	Male									6	10	5	11
Facial weakness	Female									12	9	16	11
Facial weakness	Male									8	11	8	14
Unable to pass urine	Female									5	6	8	8
Unable to pass urine	Male									6	15	22	18
Constipation	Female									<5	17	17	18
Constipation	Male									8	11	<5	10
Requesting prescription	Female									6	11	8	5
Requesting prescription	Male									7	12	16	20
Frequent urination	Female									9	12	7	16
Frequent urination	Male									7	8	8	<5
Social problem (medically well)	Female									7	<5	9	9
Social problem (medically well)	Male									14	10	9	8
Wound : bite	Female									6	9	8	8
Wound : bite	Male									10	8	6	12
Postoperative / medical device with complication	Female									7	8	7	9
Postoperative / medical device with complication	Male									11	11	5	9
Depressive disorder	Female									11	<5	13	9
Depressive disorder	Male									8	6	8	7
Cardiac arrest	Female									<5	9	<5	8

Cardiac arrest	Male									9	10	12	10
Photophobia	Female									6	9	10	<5
Photophobia	Male									10	11	8	<5
Blood in urine	Female									5	9	6	<5
Blood in urine	Male									<5	14	8	11
Anxiety disorder	Female									10	10	7	9
Anxiety disorder	Male									<5	<5	<5	12
Wound : abrasion	Female									5	11	8	<5
Wound : abrasion	Male									7	7	8	7
Speech disturbance	Female									5	<5	10	9
Speech disturbance	Male									<5	9	7	7
Coughing up blood (haemoptysis)	Female									<5	<5	5	7
Coughing up blood (haemoptysis)	Male									<5	10	10	12
Injury of upper back	Female									6	6	7	7
Injury of upper back	Male									<5	8	10	6
Throat : foreign body in throat / mouth	Female									<5	10	<5	6
Throat : foreign body in throat / mouth	Male									<5	6	15	9
Wound : puncture	Female									<5	10	12	<5
Wound : puncture	Male									7	<5	7	8
Pain in genital area (generalised)	Female									<5	9	7	12
Pain in genital area (generalised)	Male									<5	8	<5	7
Foreign body in respiratory tract	Female									7	13	<5	<5
Foreign body in respiratory tract	Male									5	8	8	<5
Loss of appetite	Female									6	11	8	5
Loss of appetite	Male									5	6	9	<5
Numbness / tingling (parasthesia)	Female									9	9	7	<5
Numbness / tingling (parasthesia)	Male									<5	<5	8	7
Foreign body in skin / subcutaneous tissue	Female									7	6	9	<5
Foreign body in skin / subcutaneous tissue	Male									<5	10	<5	<5
Nose : injury	Female									<5	6	<5	<5
Nose : injury	Male									<5	10	8	11
Injury of abdomen	Female										7	5	6
Injury of abdomen	Male									<5	7	7	8
Ear : foreign body	Female									<5	<5	8	<5
Ear : foreign body	Male									6	8	7	<5
Hypoglycaemia	Female									6	11	<5	6
Hypoglycaemia	Male									<5	<5	6	5
Swollen leg (single)	Female									5	8	6	<5
Swollen leg (single)	Male									<5	6	5	6
Joint swelling	Female										<5	5	<5
Joint swelling	Male									<5	10	8	8
Itching	Female									<5	<5	7	<5
Itching	Male									7	<5	<5	5
Rectal pain	Female									<5	<5	<5	5

Rectal pain	Male									<5	8	<5	9
Nose : foreign body	Female									6	<5	5	6
Nose : foreign body	Male									<5	7	6	
Food / foreign body in oesophagus	Female									<5	<5	6	6
Food / foreign body in oesophagus	Male									<5	10	<5	<5
Abnormal swelling groin area	Female									<5		<5	<5
Abnormal swelling groin area	Male									<5	5	12	5
Ear : injury	Female									<5		<5	<5
Ear : injury	Male									<5	<5	10	7
Collapse / fainting episode with loss of consciousness	Female									<5	<5		<5
Collapse / fainting episode with loss of consciousness	Male									<5	8	<5	8
Problem related to penis	Male									<5	6	8	11
Problem related to vagina	Female									6	7	7	6
Injury to genital area	Female									<5	<5	<5	<5
Injury to genital area	Male									<5	6	6	<5
Behaviour : agitated / violent	Female									<5	<5	<5	<5
Behaviour : agitated / violent	Male									<5	<5	5	<5
Ear : discharge	Female									<5	<5	<5	<5
Ear : discharge	Male									<5		<5	6
Abdominal distension	Female										5	<5	<5
Abdominal distension	Male									<5	<5	<5	7
Hallucinations / delusions	Female									<5	<5	<5	
Hallucinations / delusions	Male									<5	<5	<5	<5
Hallucinations / delusions	Not Known									<5			
Nausea without vomiting	Female									<5	<5	9	<5
Nausea without vomiting	Male										<5	<5	<5
Pale colour	Female									<5	<5	<5	<5
Pale colour	Male									<5	<5	<5	6
Infant with episodes not breathing (apnoea)	Female									<5	<5	<5	<5
Infant with episodes not breathing (apnoea)	Male									<5	<5	<5	<5
Low urine output	Female										<5	<5	<5
Low urine output	Male									<5	<5	<5	5
Pregnancy related : greater than 20 weeks	Female									<5	<5	5	6
Exposure to communicable disease (inc. needlestick / body fluids)	Female									<5	<5	<5	<5
Exposure to communicable disease (inc. needlestick / body fluids)	Male									<5	5	<5	<5
Tremor	Female										<5		<5
Tremor	Male									5	<5	<5	<5
Ear : hearing loss	Female									<5	<5	<5	<5
Ear : hearing loss	Male										<5	5	<5
Respiratory arrest	Female									<5	<5	<5	<5
Respiratory arrest	Male									<5		<5	<5
Hypothermia	Female									<5	<5	<5	

Hypothermia	Male										<5		<5	<5
Throat : cough	Female											<5	<5	<5
Throat : cough	Male											<5	<5	<5
Jaundice	Female											<5		<5
Jaundice	Male										<5	<5	<5	<5
Electrical exposure (inc. lightning)	Female										<5	<5	<5	<5
Electrical exposure (inc. lightning)	Male										<5		<5	<5
Swollen legs (both)	Female										<5	<5	<5	<5
Swollen legs (both)	Male										<5	<5	<5	<5
Major trauma (serious injury >1 body area)	Female												<5	<5
Major trauma (serious injury >1 body area)	Male											<5	<5	<5
Major trauma (serious injury >1 body area)	Not Known													<5
Wound : sting	Female										<5			<5
Wound : sting	Male										<5	<5	<5	
Spontaneous bruising	Female												<5	<5
Spontaneous bruising	Male											<5	<5	<5
Injury of anus	Female											<5		<5
Injury of anus	Male										<5	<5	<5	<5
Chemical exposure	Female										<5		5	
Chemical exposure	Male											<5	<5	<5
Foreign body in vagina	Female										<5		<5	<5
Blue colour (cyanosis)	Female										<5		<5	<5
Blue colour (cyanosis)	Male										<5	<5		<5
Noxious inhalation - gas / fumes / vapour / smoke	Female										<5	<5		<5
Noxious inhalation - gas / fumes / vapour / smoke	Male										<5	<5		<5
Traumatic amputation	Female												<5	
Traumatic amputation	Male										<5	<5	<5	<5
Cold painful limb	Female											<5	<5	<5
Cold painful limb	Male												<5	
Injury of cervical region of back (disorder)	Male											<5	<5	<5
Nose : congestion	Female											<5	<5	
Nose : congestion	Male											<5	<5	
Problem related to breast	Female										<5	<5	<5	<5
Insomnia	Female										<5			
Insomnia	Male											<5		
Ear : ringing in ears (tinnitus)	Male											<5		
Near drowning	Male											<5	<5	
States victim of sexual assault	Female											<5	<5	
Hiccoughs	Female											<5		
Hiccoughs	Male													<5
Cardiac arrest due to trauma	Male											<5		<5
Foreign body in rectum	Male										<5			<5
Frostbite	Female												<5	
Grand Total		10,473	9,745	11,539	10,820	11,691	11,017	11,558	10,619	11,117	12,104	11,890	11,318	

<i>For Question 1 (Chief Complaint and number of male and female patients</i>	
Question 2: Total number of patients attending A&E departments in 2018	141,226
Question 3: Total number of patients attending A&E departments in 2018 unregistered to a GP Practice/'Not known'	6,308

Chief Complaint	Sex	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Injury of shoulder / arm / elbow / wrist / hand	Female	287	281	318	367	469	378	402	345	384	361	299	275
Injury of shoulder / arm / elbow / wrist / hand	Male	351	380	409	495	559	553	541	447	551	525	483	415
Injury of shoulder / arm / elbow / wrist / hand	Not Known									<5			<5
Injury of hip / leg / knee / ankle / foot	Female	322	285	327	363	428	451	416	295	377	380	327	330
Injury of hip / leg / knee / ankle / foot	Male	279	342	362	417	432	434	437	333	400	416	414	314
Short of breath	Female	418	270	350	270	289	221	216	198	305	387	516	508
Short of breath	Male	440	305	347	292	321	273	224	228	373	525	589	575
Short of breath	Not Known								<5			<5	
Abdominal pain	Female	377	339	415	373	371	345	407	320	349	366	365	370
Abdominal pain	Indeterminate												<5
Abdominal pain	Male	258	245	313	297	314	253	289	263	276	289	316	268
Abdominal pain	Not Known							<5		<5			
Chest pain	Female	300	245	242	264	264	229	221	269	260	271	245	280
Chest pain	Indeterminate												<5
Chest pain	Male	300	292	324	327	310	312	345	314	328	340	316	314
Chest pain	Not Known		<5				<5						<5
Eye review	Female	227	225	240	270	340	297	307	267	258	380	329	324
Eye review	Indeterminate					<5							
Eye review	Male	210	198	226	254	267	274	274	266	304	338	315	258
Head injury	Female	184	161	213	198	235	198	214	227	247	235	210	215
Head injury	Male	278	281	321	327	335	342	337	320	356	400	310	351
Head injury	Not Known			<5				<5		<5	<5	<5	
Pain in / around eye	Female	276	211	274	320	286	285	307	333	274	316	322	282
Pain in / around eye	Male	212	151	179	272	273	254	252	295	250	274	272	260
Pain in / around eye	Not Known					<5			<5				
Fever	Female	343	283	279	239	203	180	210	145	172	260	293	232
Fever	Male	391	309	341	264	220	207	236	144	171	255	316	329
Fever	Not Known						<5						
Visual disturbance	Female	233	232	271	273	313	274	298	341	267	310	260	231
Visual disturbance	Indeterminate					<5							
Visual disturbance	Male	175	176	210	241	220	200	199	221	200	229	228	204
Visual disturbance	Not Known									<5			

Throat : sore	Female	29	45	47	41	63	45	42	39	35	42	56	52
Throat : sore	Male	38	45	52	58	48	42	48	44	46	45	41	63
Throat : sore	Not Known			<5									
Generalised weakness	Female	63	49	50	51	34	39	44	50	41	41	36	38
Generalised weakness	Male	58	57	46	45	33	50	51	45	44	40	33	45
Foreign body on eye	Female	18	20	19	22	33	20	20	20	23	24	9	10
Foreign body on eye	Indeterminate					<5							
Foreign body on eye	Male	65	69	57	67	68	84	69	94	64	59	54	50
Pain in shoulder / arm / elbow / wrist / hand	Female	53	48	32	32	39	42	26	45	28	34	41	33
Pain in shoulder / arm / elbow / wrist / hand	Male	71	52	52	39	43	33	45	46	49	52	40	40
Pain in shoulder / arm / elbow / wrist / hand	Not Known					<5							
Direct referral to inpatient unit	Female	81	76	80	44	23	12	27	16	29	19	17	26
Direct referral to inpatient unit	Male	72	73	73	44	21	16	23	13	32	24	18	36
Direct referral to inpatient unit	Not Known									<5			
Eye injury	Female	26	27	29	27	32	28	32	30	13	23	22	15
Eye injury	Male	51	49	58	53	48	56	53	47	52	37	45	29
Ear : pain	Female	31	43	37	37	31	30	24	42	29	43	23	46
Ear : pain	Male	26	33	28	27	27	31	36	43	38	40	34	48
Burn	Female	31	29	35	38	41	46	50	39	34	36	41	28
Burn	Male	20	32	26	29	33	43	40	34	32	27	26	37
Noisy breathing	Female	27	32	18	15	23	18	17	20	27	22	39	33
Noisy breathing	Male	73	48	48	41	28	31	27	20	32	49	58	60
Injury of lower back	Female	19	24	39	28	27	35	25	32	41	40	34	35
Injury of lower back	Male	25	24	32	32	34	29	32	47	30	36	43	27
Suicidal thoughts	Female	38	23	20	30	35	39	43	22	24	27	26	36
Suicidal thoughts	Indeterminate		<5										
Suicidal thoughts	Male	26	21	35	32	36	43	34	18	33	43	36	44
Suicidal thoughts	Not Known		<5					<5					
Backache (no recent injury)	Female	30	29	27	33	28	33	30	39	44	54	38	28
Backache (no recent injury)	Male	27	35	21	20	27	20	25	19	31	39	27	44
Dizziness	Female	26	19	27	31	31	21	44	35	31	34	39	36
Dizziness	Male	19	23	24	32	24	19	29	30	27	31	27	35
Falls / unsteady on feet	Female	38	20	44	34	33	25	31	17	22	37	29	36
Falls / unsteady on feet	Male	38	22	27	31	25	35	26	22	28	16	24	32
Nose : bleeding from nose	Female	29	22	24	27	20	42	31	18	24	14	20	21
Nose : bleeding from nose	Male	50	28	30	44	26	34	35	28	24	36	34	29
Diarrhoea	Female	16	20	29	27	27	19	37	29	16	15	29	31
Diarrhoea	Male	20	25	27	20	28	31	42	33	27	28	25	34
Poisoning from any source	Female	30	22	34	22	25	20	19	21	31	20	24	22
Poisoning from any source	Male	33	22	32	29	23	28	27	19	25	34	22	23
Blood in stools	Female	16	23	19	17	25	21	19	30	23	26	18	23
Blood in stools	Male	27	33	32	34	25	31	29	35	32	11	17	21
Injury of thorax	Female	15	22	16	12	11	19	18	19	12	23	22	14
Injury of thorax	Male	32	24	29	41	27	30	34	33	25	36	29	29

Confusion	Female	22	26	18	23	20	16	29	19	16	29	26	24
Confusion	Male	29	33	25	20	19	18	25	27	18	23	22	26
Discharge from eye	Female	25	18	23	22	24	30	25	33	15	28	32	18
Discharge from eye	Male	12	23	20	28	25	20	22	31	13	14	22	23
Neck pain	Female	18	26	22	25	28	13	26	24	18	23	20	21
Neck pain	Male	27	27	13	26	29	20	10	27	29	21	22	27
Pain in scrotum / testes	Male	52	42	35	43	59	56	42	37	35	34	55	47
Crying infant	Female	13	16	15	19	18	14	24	23	17	27	20	10
Crying infant	Male	20	13	26	28	35	24	21	23	30	42	25	18
Limb weakness	Female	19	16	20	29	26	26	14	22	24	16	25	18
Limb weakness	Male	25	12	22	26	28	19	29	22	24	25	19	13
Pregnancy related : less than 20 weeks	Female	47	30	48	35	47	44	36	41	37	24	46	42
Pain on passing urine	Female	28	16	22	19	24	21	29	30	20	24	25	43
Pain on passing urine	Male	14	13	15	17	8	13	7	14	14	14	12	18
Wound : bite	Female	5	7	11	13	18	21	36	20	20	15	8	9
Wound : bite	Male	13	11	11	9	26	33	44	35	26	7	14	17
Vaginal bleeding (abnormal)	Female	35	28	27	31	38	37	40	36	34	40	40	34
Behaviour : unusual	Female	12	11	14	15	24	16	22	18	13	15	12	20
Behaviour : unusual	Indeterminate											<5	
Behaviour : unusual	Male	23	14	16	19	15	16	27	19	16	20	11	18
Flank pain	Female	18	19	10	20	18	12	27	23	24	26	19	24
Flank pain	Male	9	7	10	14	11	20	19	11	20	11	19	16
Requesting prescription	Female	12	8	13	12	22	16	6	20	15	9	11	16
Requesting prescription	Male	13	<5	17	25	32	23	24	15	22	11	16	30
Drowsy (altered level of consciousness)	Female	19	13	14	14	14	7	23	8	17	21	13	13
Drowsy (altered level of consciousness)	Male	15	17	18	23	14	16	18	15	19	16	22	20
Drowsy (altered level of consciousness)	Not Known						<5	<5					
Vomiting blood	Female	15	11	7	13	17	17	15	8	16	15	11	14
Vomiting blood	Male	12	14	17	20	16	23	15	12	16	18	20	12
Foreign body in digestive tract	Female	7	12	11	12	11	12	13	21	15	14	15	13
Foreign body in digestive tract	Male	11	11	10	10	15	27	12	21	15	22	15	23
Constipation	Female	16	17	18	10	19	14	15	16	19	7	12	11
Constipation	Male	12	14	11	19	12	12	16	13	19	8	10	19
Injury of neck	Female	12	8	17	10	19	19	12	9	18	15	9	9
Injury of neck	Male	16	12	9	24	11	14	14	15	11	14	19	12
Hyperglycaemia	Female	18	15	14	14	13	20	14	11	8	14	11	16
Hyperglycaemia	Male	12	13	13	18	17	20	8	9	17	6	8	10
Postoperative / medical device with complication	Female	24	14	22	10	12	10	9	17	12	8	5	10
Postoperative / medical device with complication	Male	18	13	10	12	13	11	12	7	13	10	14	9
Social problem (medically well)	Female	9	5	8	10	10	13	9	12	15	5	10	14
Social problem (medically well)	Male	6	14	13	15	16	13	25	11	22	16	10	10
Social problem (medically well)	Not Known				<5								
Facial weakness	Female	13	12	10	16	17	12	10	12	8	8	11	16
Facial weakness	Male	10	10	12	12	13	11	12	6	15	13	12	8

Unable to pass urine	Female	6	7	8	<5	8	10	8	9	6	5	5	6
Unable to pass urine	Male	12	13	15	13	24	19	13	11	20	10	14	22
Wound : abrasion	Female	5	<5	12	8	7	16	9	14	8	11	<5	<5
Wound : abrasion	Male	6	20	13	13	10	17	19	16	15	12	8	7
Wound : puncture	Female	6	7	8	8	7	6	14	7	11	5	<5	9
Wound : puncture	Male	13	9	9	11	21	17	13	15	12	19	12	9
Postoperative / wound care (no complication)	Female	6	10	10	5	12	9	13	11	6	8	11	13
Postoperative / wound care (no complication)	Male	8	8	9	15	5	25	7	17	13	9	8	8
Numbness / tingling (parasthesia)	Female	6	6	9	16	10	12	16	11	19	8	7	6
Numbness / tingling (parasthesia)	Male	8	8	15	11	8	13	10	7	8	<5	10	10
Speech disturbance	Female	8	9	11	9	7	9	13	11	7	8	9	5
Speech disturbance	Male	12	10	15	9	7	9	5	12	11	10	21	9
Foreign body in skin / subcutaneous tissue	Female	<5	<5	10	9	11	15	9	17	7	12	10	8
Foreign body in skin / subcutaneous tissue	Male	5	6	6	8	15	13	14	8	12	10	5	<5
Anxiety disorder	Female	6	7	5	15	9	7	9	9	12	11	11	11
Anxiety disorder	Male	6	5	10	10	8	13	6	10	18	<5	7	10
Blood in urine	Female	<5	<5	7	7	<5	9	7	9	7	<5	<5	8
Blood in urine	Male	12	11	9	13	6	16	16	14	11	8	16	10
Cardiac arrest	Female	<5	<5	9	10	5	<5	7	7	6	<5	<5	<5
Cardiac arrest	Male	12	18	19	11	11	15	12	8	8	7	11	11
Cardiac arrest	Not Known												<5
Depressive disorder	Female	6	7	6	6	7	10	8	14	10	8	15	12
Depressive disorder	Indeterminate											<5	
Depressive disorder	Male	7	<5	7	6	9	<5	15	10	5	10	6	14
Ear : foreign body	Female	9	9	8	10	11	8	11	8	10	7	7	9
Ear : foreign body	Male	8	<5	5	9	15	7	8	7	11	5	8	7
Throat : foreign body in throat / mouth	Female	11	<5	14	7	7	7	7	10	11	6	8	13
Throat : foreign body in throat / mouth	Male	5	7	8	8	13	12	7	7	8	<5	8	<5
Loss of appetite	Female	9	6	5	5	<5	7	13	12	9	7	12	6
Loss of appetite	Male	8	7	6	<5	<5	8	10	6	7	7	16	13
Pain in genital area (generalised)	Female	5	5	<5	7	<5	<5	<5	8	8	<5	8	10
Pain in genital area (generalised)	Male	13	7	18	12	6	<5	9	9	13	6	9	<5
Injury of upper back	Female	8	8	<5	6	5	<5	10	<5	7	10	6	<5
Injury of upper back	Male	<5	9	9	11	9	10	8	6	10	11	7	5
Frequent urination	Female	12	5	9	9	10	7	10	11	9	6	8	9
Frequent urination	Male	<5	<5	6	<5	<5	8	6	8	<5	6	<5	<5
Coughing up blood (haemoptysis)	Female	<5	7	<5	5	<5	<5	<5	<5	7	7	6	7
Coughing up blood (haemoptysis)	Male	14	6	5	<5	10	9	5	<5	<5	10	6	8
Abnormal swelling groin area	Female		<5	<5		<5	<5			<5	<5	<5	<5
Abnormal swelling groin area	Male	8	8	12	6	10	14	20	10	16	13	<5	10
Foreign body in respiratory tract	Female	8	10	<5	7	5	<5	5	8	<5	<5	5	<5
Foreign body in respiratory tract	Male	6	14	<5	<5	7	7	<5	6	5	9	<5	5
Hypoglycaemia	Female	<5	6	<5	7	7	<5	5	<5	5	12	9	5
Hypoglycaemia	Male	8	9	6	6	7	<5	<5	5	<5	10	5	

Collapse / fainting episode with loss of consciousness	Female	10	<5	7	7	<5	<5	8	<5	<5	6	8	8
Collapse / fainting episode with loss of consciousness	Male	<5	<5	<5	6	7	5	5	5	<5	10	11	<5
Photophobia	Female	<5	7	5	13	8	<5	7	5	<5	<5	6	<5
Photophobia	Male	<5	<5	6	8	<5	5	6	<5	9	<5	6	<5
Injury of abdomen	Female	<5	5	6	5	5	6	6	5	5	<5	<5	6
Injury of abdomen	Male	<5	7	<5	<5	<5	7	13	6	<5	7	<5	9
Nose : foreign body	Female	<5	<5	<5	8	5	8	9	<5	7	8	8	<5
Nose : foreign body	Male	<5	<5	6	9	7	6	<5	8	6	<5	<5	<5
Joint swelling	Female	9	<5	6	6	8	5	6	9	6	5	<5	<5
Joint swelling	Male	<5	6	<5	6	<5	<5	<5	7	<5	<5	6	7
Swollen leg (single)	Female		6	5	5		6	<5	7	<5	5	5	7
Swollen leg (single)	Male	5	<5	5	5	8	7	<5	5	5	10	<5	<5
Nose : injury	Female	<5	<5	<5	7	<5	<5	5	6	<5	<5	<5	<5
Nose : injury	Male	9	7	10	<5	<5	6	7	7	8	<5	10	7
Problem related to penis	Male	<5	7	6	11	9	10	12	15	12	10	10	10
Itching	Female	<5	6	<5	8	10	<5	7	5	5	5	<5	6
Itching	Male	<5	<5	5	8	7	5	<5	<5	<5	<5	5	<5
Rectal pain	Female	<5	<5	<5	<5		8	5	5	<5	6	<5	
Rectal pain	Male	7	5	7	<5	8	6	<5	7	5	<5	6	10
Nausea without vomiting	Female	<5	<5	6	5	6	5	13	<5	7	6	5	<5
Nausea without vomiting	Male	<5	<5	<5	<5	6	7	5	<5	5	5	<5	<5
Problem related to vagina	Female	9	5	7	10	9	13	11	13	10	5	5	7
Food / foreign body in oesophagus	Female	<5	<5	6	5	<5	5	5	<5	5	<5	7	<5
Food / foreign body in oesophagus	Male	<5	5	7	8	<5	6	5	<5	6	<5	<5	
Behaviour : agitated / violent	Female	7	<5	<5	5	<5	5	<5	<5	<5	<5	<5	8
Behaviour : agitated / violent	Male	<5	<5	6	7	<5	10	8	8	<5	<5	<5	<5
Behaviour : agitated / violent	Not Known			<5					<5				
Ear : discharge	Female	<5	5	5	8	5	<5	<5	<5		6	<5	5
Ear : discharge	Male	<5	<5	7	6	5	<5	<5	<5	8	<5	5	5
Abdominal distension	Female	<5	6	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Abdominal distension	Male	<5	5	<5	<5	6	<5	<5	<5	<5	<5	7	<5
Hallucinations / delusions	Female		<5	<5	<5	<5	<5	<5	<5	6	5	<5	<5
Hallucinations / delusions	Male	<5	<5	<5	9	<5		<5	5	7	<5	7	6
Infant with episodes not breathing (apnoea)	Female	<5	<5	<5	<5	<5	9	<5	<5	<5	<5	<5	6
Infant with episodes not breathing (apnoea)	Male	<5	5	5	<5	<5	<5	<5	<5	<5	<5	5	<5
Low urine output	Female	<5	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
Low urine output	Male	5	5	<5	7	<5	<5	8	7	<5	<5	<5	<5
Throat : cough	Female	5	<5	<5	<5	<5	<5	<5		<5	<5	<5	5
Throat : cough	Male	7	<5	<5	5	<5	<5	<5		<5	<5	<5	<5
Exposure to communicable disease (inc. needlestick / body fluids)	Female	<5	<5	<5	6	<5	<5	<5	<5		<5	<5	<5
Exposure to communicable disease (inc. needlestick / body fluids)	Male	<5	<5	<5	<5	<5	7	9	5	<5			<5
Ear : hearing loss	Female			<5		<5	<5	<5	<5	6	<5	<5	<5

Ear : hearing loss	Male		<5	<5		5	<5	<5	<5		6	5	5	<5	<5
Pregnancy related : greater than 20 weeks	Female	<5		5	7	<5	<5		7	6	5	10	7	5	5
Injury to genital area	Female	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Injury to genital area	Male	<5	<5	<5	<5	<5	<5		5	<5	<5	<5	<5	<5	5
Ear : injury	Female		5	<5	<5	<5		<5		<5		5	<5		<5
Ear : injury	Male		5	<5	<5	<5		7	<5		5	<5	5	<5	<5
Pale colour	Female	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5		<5	<5	<5
Pale colour	Male	<5	<5	<5	<5		5	<5					<5	<5	<5
Spontaneous bruising	Female	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5		5		<5
Spontaneous bruising	Male	<5	<5	<5	<5	<5			6	<5		5	<5	<5	<5
Swollen legs (both)	Female	<5		<5	<5	<5	<5	<5		5	<5	<5	<5	<5	<5
Swollen legs (both)	Male	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5		<5	<5	<5
Wound : sting	Female				<5	<5	<5	<5		5	<5		<5	<5	
Wound : sting	Male	<5						<5		9	6	5	5		
Tremor	Female	<5	<5	<5	<5	<5	<5	<5	<5	<5			<5	<5	5
Tremor	Male	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Jaundice	Female	<5	<5	<5		<5	<5	<5	<5	<5					<5
Jaundice	Male	<5	<5	<5		<5	<5	<5		6	<5		5	<5	<5
Hypothermia	Female		<5	<5		<5	<5	<5			<5			<5	<5
Hypothermia	Male	<5		<5		<5	<5	<5	<5	<5		5	<5	<5	5
Hypothermia	Not Known							<5							
Foreign body in vagina	Female	<5	<5	<5	<5	<5	<5	<5	<5		5	7	<5	<5	
Chemical exposure	Female			<5	<5		<5	<5			<5	<5			
Chemical exposure	Male	<5	<5		<5	<5	<5	<5	<5	<5	<5				<5
Blue colour (cyanosis)	Female		<5	<5		<5		<5	<5	<5	<5	<5			
Blue colour (cyanosis)	Male	<5		5	<5	<5	<5	<5	<5		<5	<5			<5
Nose : congestion	Female	<5		<5		<5	<5	<5		<5		<5	<5	<5	
Nose : congestion	Male	<5		<5	<5	<5	<5	<5		<5	<5			<5	<5
Electrical exposure (inc. lightning)	Female	<5	<5			<5		<5	<5	<5		<5	<5	<5	<5
Electrical exposure (inc. lightning)	Male		<5			<5	<5	<5	<5	<5		<5	<5		
Noxious inhalation - gas / fumes / vapour / smoke	Female				<5	<5	<5	<5	<5				<5	<5	
Noxious inhalation - gas / fumes / vapour / smoke	Male	<5		<5		<5	<5	<5	<5		<5	<5	<5	<5	<5
Respiratory arrest	Female	<5			<5	<5	<5	<5	<5				<5	<5	<5
Respiratory arrest	Male				<5		<5			<5				<5	<5
Injury of cervical region of back (disorder)	Female	<5	<5	<5	<5	<5	<5	<5		<5	<5	<5			
Injury of cervical region of back (disorder)	Male				<5		<5	<5	<5	<5				<5	<5
Near drowning	Female			<5	<5	<5		<5					<5		
Near drowning	Male	<5				<5	<5	<5	<5	<5	<5				<5
Major trauma (serious injury >1 body area)	Female				<5			<5	<5	<5				<5	
Major trauma (serious injury >1 body area)	Male		<5		<5	<5		<5	<5	<5			<5		
Injury of anus	Female	<5	<5							<5				<5	
Injury of anus	Male			<5		<5	<5			<5			<5		<5
Foreign body in rectum	Female							<5					<5	<5	
Foreign body in rectum	Male			<5		<5	<5	<5	<5		<5	<5		<5	<5

Traumatic amputation	Female		<5			<5							<5	
Traumatic amputation	Male	<5		<5			<5				<5			
Problem related to breast	Female			<5					<5	<5		<5	<5	
Problem related to breast	Male									<5				
Hiccoughs	Female	<5										<5		
Hiccoughs	Male		<5	<5				<5	<5	<5	<5			
Cold painful limb	Female					<5				<5				
Cold painful limb	Male	<5		<5							<5		<5	
Ear : ringing in ears (tinnitus)	Female	<5												
Ear : ringing in ears (tinnitus)	Male		<5		<5							<5	<5	
Insomnia	Female					<5				<5				
Insomnia	Male		<5			<5					<5			
Frostbite	Female					<5								
Frostbite	Male					<5								
Cardiac arrest due to trauma	Male						<5				<5			
States victim of sexual assault	Female							<5	<5					
Grand Total			11,359	#####	11,591	11,829	12,225	11,560	12,130	11,145	11,662	12,628	12,394	12,087

<i>For Question 1 (Chief Complaint and number of male and female patients</i>	
Question 2: Total number of patients attending A&E departments in 2019	137,219
Question 3: Total number of patients attending A&E departments in 2019 unregistered to a GP Practice/'Not known'	5,311

Chief Complaint	Sex	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
Injury of shoulder / arm / elbow / wrist / hand	Female	326	306	366	337	380	363	393	310	350	348	340
Injury of shoulder / arm / elbow / wrist / hand	Male	395	415	516	468	530	492	516	406	499	501	397
Short of breath	Female	442	315	319	291	291	312	225	206	326	425	566
Short of breath	Male	486	391	432	305	359	357	263	265	390	551	649
Short of breath	Not Known	<5									<5	
Injury of hip / leg / knee / ankle / foot	Female	337	290	343	370	415	360	406	362	414	333	313
Injury of hip / leg / knee / ankle / foot	Indeterminate											<5
Injury of hip / leg / knee / ankle / foot	Male	348	352	409	417	394	380	405	332	439	375	334
Injury of hip / leg / knee / ankle / foot	Not Known											<5
Abdominal pain	Female	398	333	413	415	411	394	410	380	381	402	399
Abdominal pain	Indeterminate			<5	<5		<5					
Abdominal pain	Male	277	297	301	287	298	306	268	246	253	259	306
Abdominal pain	Not Known	<5		<5	<5							
Pain in / around eye	Female	270	301	292	294	366	320	308	318	335	318	352
Pain in / around eye	Indeterminate				<5							<5

Pain in / around eye	Male	257	292	234	271	293	293	266	291	323	283	298
Chest pain	Female	286	244	269	237	246	241	250	265	266	272	253
Chest pain	Indeterminate						<5					
Chest pain	Male	345	305	342	349	341	294	325	341	304	371	368
Chest pain	Not Known										<5	
Eye review	Female	271	251	330	388	302	297	324	258	298	323	308
Eye review	Indeterminate						<5	<5				
Eye review	Male	256	207	284	334	286	286	379	286	246	323	270
Eye review	Not Known			<5								
Head injury	Female	241	202	275	207	212	231	248	234	247	257	222
Head injury	Indeterminate				<5							
Head injury	Male	304	277	398	325	322	400	367	354	359	362	367
Head injury	Not Known		<5	<5		<5				<5	<5	
Visual disturbance	Female	296	302	312	308	305	284	322	331	319	318	325
Visual disturbance	Male	241	202	264	232	240	226	242	288	227	240	224
Visual disturbance	Not Known				<5				<5	<5		
Red eye	Female	288	250	298	274	264	310	244	305	278	293	231
Red eye	Indeterminate							<5	<5			
Red eye	Male	260	243	250	264	224	313	278	331	250	308	204
Red eye	Not Known			<5	<5						<5	
Fever	Female	345	350	333	256	195	173	179	157	177	223	269
Fever	Male	352	404	334	283	203	189	205	168	202	275	343
Localised swelling / redness / lumps / bumps	Female	111	111	118	114	131	111	150	132	108	124	119
Localised swelling / redness / lumps / bumps	Male	142	115	148	138	152	144	186	161	164	151	150
Localised swelling / redness / lumps / bumps	Not Known							<5			<5	
Vomiting + / - nausea	Female	144	110	145	133	154	131	135	88	114	123	161
Vomiting + / - nausea	Indeterminate										<5	
Vomiting + / - nausea	Male	134	129	145	123	139	119	98	91	109	112	136
Difficulty breathing	Female	118	80	85	79	86	63	37	46	70	130	173
Difficulty breathing	Male	168	137	131	117	105	83	62	68	126	226	220
Rash	Female	97	90	104	80	92	94	91	84	102	100	97
Rash	Male	94	103	105	109	103	91	98	97	102	114	100
Seizure (fit)	Female	86	76	103	77	87	63	95	67	65	61	76
Seizure (fit)	Male	125	110	131	111	102	99	105	116	82	105	109
Seizure (fit)	Not Known	<5						<5			<5	
Wound : laceration	Female	75	46	57	67	66	66	70	52	54	67	63
Wound : laceration	Male	98	101	104	87	136	117	136	140	125	148	108
Headache	Female	120	99	109	98	96	85	83	96	77	109	107
Headache	Male	77	66	88	72	88	79	68	84	84	99	74
Headache	Not Known											<5
Pain in hip / leg / knee / ankle / foot	Female	70	74	76	67	101	71	82	94	98	94	74
Pain in hip / leg / knee / ankle / foot	Male	57	75	86	75	82	81	104	96	103	92	101
Drug / alcohol intoxication or withdrawal	Female	57	68	72	58	79	64	67	74	67	68	59
Drug / alcohol intoxication or withdrawal	Indeterminate		<5	<5	<5				<5			

Drug / alcohol intoxication or withdrawal	Male	69	107	96	94	112	94	95	101	107	96	97
Drug / alcohol intoxication or withdrawal	Not Known	<5	<5	<5	<5	<5	<5				<5	<5
Facial injury	Female	55	61	75	51	77	62	70	49	56	58	67
Facial injury	Male	91	97	110	91	117	95	123	100	109	113	110
Facial injury	Not Known							<5				
Collapse / fainting episode	Female	64	65	61	74	88	70	99	71	82	79	74
Collapse / fainting episode	Male	64	62	69	64	77	54	89	57	75	75	69
Collapse / fainting episode	Not Known				<5	<5		<5	<5			
Self-harm	Female	79	80	102	68	87	101	93	74	86	88	85
Self-harm	Indeterminate	<5	<5	5	<5	<5						<5
Self-harm	Male	37	23	59	43	46	33	47	36	38	56	54
Self-harm	Not Known		<5						<5			<5
Throat : sore	Female	83	60	64	68	72	60	70	65	52	49	62
Throat : sore	Male	68	64	56	63	52	55	62	56	52	61	68
Facial pain (inc. toothache)	Female	52	44	35	52	47	57	62	46	46	48	47
Facial pain (inc. toothache)	Male	79	57	74	59	64	58	54	76	67	55	65
Generalised weakness	Female	54	56	53	61	40	57	56	57	71	69	77
Generalised weakness	Male	52	46	40	49	44	50	58	34	59	61	54
Palpitations	Female	72	51	58	53	61	50	56	47	45	70	52
Palpitations	Male	55	45	70	57	42	42	45	45	61	61	59
Missing data	Female	23	34	39	33	50	38	43	29	44	22	31
Missing data	Indeterminate										<5	
Missing data	Male	49	56	61	70	65	77	89	65	59	39	50
Missing data	Not Known	<5			<5							
Direct referral to inpatient unit	Female	33	39	55	49	37	37	51	45	43	48	48
Direct referral to inpatient unit	Male	32	41	38	28	34	51	47	55	36	67	49
Noisy breathing	Female	37	29	31	22	17	12	17	18	47	63	47
Noisy breathing	Male	50	54	34	36	28	35	28	32	76	107	74
Pain in shoulder / arm / elbow / wrist / hand	Female	31	24	44	41	50	43	49	37	41	37	45
Pain in shoulder / arm / elbow / wrist / hand	Male	26	38	31	31	39	37	53	58	41	43	50
Backache (no recent injury)	Female	39	30	38	43	37	39	40	33	43	54	49
Backache (no recent injury)	Male	35	30	24	36	33	38	30	42	33	35	45
Suicidal thoughts	Female	36	35	35	38	38	39	37	41	32	29	40
Suicidal thoughts	Male	28	34	42	39	35	36	29	31	44	48	39
Suicidal thoughts	Not Known						<5					
Eye injury	Female	12	23	20	33	30	23	28	19	26	33	28
Eye injury	Male	40	38	40	57	47	52	58	36	52	52	34
Ear : pain	Female	46	30	40	35	40	23	28	29	41	31	45
Ear : pain	Male	32	36	33	42	27	32	37	28	30	28	48
Dizziness	Female	38	23	41	30	46	49	47	35	39	34	39
Dizziness	Male	21	28	35	31	32	16	23	25	28	35	38
Injury of lower back	Female	42	29	33	36	30	26	25	35	32	33	46
Injury of lower back	Male	28	37	40	24	39	27	39	32	34	33	24
Foreign body on eye	Female	17	8	22	24	11	19	14	14	8	11	9

Foreign body on eye	Indeterminate								<5				
Foreign body on eye	Male	50	35	49	58	45	50	63	48	51	52	53	
Burn	Female	29	21	41	27	24	31	31	37	27	36	31	
Burn	Male	32	34	30	30	21	25	36	34	24	36	24	
Falls / unsteady on feet	Female	28	36	30	37	33	32	27	32	26	38	48	
Falls / unsteady on feet	Male	24	24	30	38	23	20	34	18	12	29	34	
Diarrhoea	Female	32	34	18	25	17	27	29	27	28	32	27	
Diarrhoea	Male	28	21	31	26	26	30	44	39	31	38	40	
Nose : bleeding from nose	Female	28	26	28	22	23	29	22	15	26	19	32	
Nose : bleeding from nose	Male	34	34	21	43	42	41	35	23	36	27	21	
Discharge from eye	Female	27	39	29	23	39	20	28	22	25	32	33	
Discharge from eye	Male	35	36	25	33	24	21	29	20	21	25	24	
Poisoning from any source	Female	22	25	30	28	30	35	29	22	26	29	27	
Poisoning from any source	Male	21	24	30	24	26	29	25	18	23	28	25	
Injury of thorax	Female	16	10	23	18	15	15	9	17	18	18	19	
Injury of thorax	Male	37	32	41	31	38	30	35	39	41	44	29	
Confusion	Female	26	23	30	16	25	23	34	24	21	14	26	
Confusion	Male	33	17	18	26	31	33	23	23	28	34	30	
Confusion	Not Known				<5								
Pain in scrotum / testes	Male	51	35	50	38	47	59	46	46	48	50	58	
Pain on passing urine	Female	31	28	20	36	38	28	27	28	23	30	38	
Pain on passing urine	Male	17	16	17	17	16	17	16	16	8	19	23	
Blood in stools	Female	17	10	23	26	23	16	21	17	18	13	19	
Blood in stools	Male	33	17	19	33	30	19	29	25	25	34	22	
Blood in stools	Not Known	<5											
Flank pain	Female	24	28	28	32	33	18	23	33	27	28	28	
Flank pain	Male	18	9	11	14	14	13	15	19	22	21	14	
Pregnancy related : less than 20 weeks	Female	38	32	47	45	51	47	47	51	35	46	32	
Wound : bite	Female	8	6	12	14	22	22	46	34	24	15	18	
Wound : bite	Male	5	11	14	19	17	30	46	37	27	26	16	
Limb weakness	Female	30	14	17	23	25	19	30	19	13	23	24	
Limb weakness	Male	17	24	21	16	28	21	17	20	21	18	27	
Neck pain	Female	18	21	29	22	18	22	18	19	21	23	22	
Neck pain	Male	18	16	18	16	18	16	21	21	27	36	23	
Vaginal bleeding (abnormal)	Female	42	39	32	27	46	38	37	40	41	41	44	
Drowsy (altered level of consciousness)	Female	18	20	26	19	18	17	16	17	14	16	23	
Drowsy (altered level of consciousness)	Male	19	20	18	10	22	23	28	19	15	27	18	
Drowsy (altered level of consciousness)	Not Known								<5				
Crying infant	Female	24	16	19	18	23	18	16	16	14	18	13	
Crying infant	Male	24	21	25	16	19	25	17	18	19	17	24	
Postoperative / wound care (no complication)	Female	7	10	15	14	18	11	28	23	20	20	15	
Postoperative / wound care (no complication)	Male	15	13	10	23	19	12	33	25	26	28	26	
Behaviour : unusual	Female	8	12	12	14	20	20	19	14	19	13	17	
Behaviour : unusual	Indeterminate			<5						<5			

Behaviour : unusual	Male	16	31	21	18	18	21	29	17	19	11	17
Behaviour : unusual	Not Known					<5						
Vomiting blood	Female	16	22	16	14	16	12	12	8	10	9	13
Vomiting blood	Male	15	19	19	19	22	20	19	10	14	21	15
Requesting prescription	Female	10	9	12	13	10	8	13	13	16	14	14
Requesting prescription	Male	17	24	15	14	16	10	13	21	17	22	16
Injury of neck	Female	11	22	14	11	12	21	8	13	13	7	13
Injury of neck	Male	17	20	19	16	17	14	16	8	22	11	11
Depressive disorder	Female	23	12	13	14	19	14	10	8	12	14	17
Depressive disorder	Male	11	9	12	16	20	19	12	12	9	12	15
Postoperative / medical device with complication	Female	10	15	10	10	12	7	16	17	<5	15	17
Postoperative / medical device with complication	Male	20	17	12	13	15	13	20	12	16	16	11
Constipation	Female	19	19	16	10	14	12	12	11	12	10	10
Constipation	Male	16	10	20	13	11	12	12	17	17	13	5
Foreign body in digestive tract	Female	12	11	13	12	9	10	11	18	10	11	9
Foreign body in digestive tract	Male	25	8	13	13	16	18	18	12	15	11	13
Unable to pass urine	Female	15	6	12	12	8	6	5	5	8	10	9
Unable to pass urine	Male	12	24	19	8	17	12	16	22	19	16	13
Wound : puncture	Female	7	7	6	5	13	7	20	16	15	10	10
Wound : puncture	Male	12	16	16	12	15	17	13	14	18	9	13
Anxiety disorder	Female	16	9	14	6	19	10	9	17	15	15	13
Anxiety disorder	Male	12	10	10	7	9	6	8	12	18	9	10
Numbness / tingling (parasthesia)	Female	12	10	12	13	19	9	15	15	11	16	<5
Numbness / tingling (parasthesia)	Male	11	<5	<5	11	9	7	9	10	13	12	8
Facial weakness	Female	12	10	8	13	6	10	14	8	14	14	15
Facial weakness	Male	15	13	10	9	13	5	6	9	10	6	11
Hyperglycaemia	Female	9	16	12	15	15	6	18	6	8	8	9
Hyperglycaemia	Male	11	9	16	9	11	10	10	7	6	9	10
Foreign body in skin / subcutaneous tissue	Female	10	<5	11	10	11	17	8	13	19	12	6
Foreign body in skin / subcutaneous tissue	Male	<5	6	6	11	10	9	13	10	19	10	8
Throat : foreign body in throat / mouth	Female	7	6	13	14	7	9	8	12	12	14	11
Throat : foreign body in throat / mouth	Male	12	9	9	7	13	10	12	9	14	6	8
Wound : abrasion	Female	8	6	10	<5	11	<5	15	6	12	8	8
Wound : abrasion	Male	8	<5	15	8	8	12	16	21	19	13	7
Blood in urine	Female	10	6	5	<5	8	9	6	6	5	5	11
Blood in urine	Male	13	11	9	7	5	14	20	14	9	16	18
Speech disturbance	Female	13	5	6	12	6	7	13	11	7	14	10
Speech disturbance	Male	<5	11	18	10	6	5	8	8	10	5	13
Ear : foreign body	Female	9	6	10	8	12	9	13	5	9	7	13
Ear : foreign body	Male	9	12	10	7	<5	11	12	12	10	5	10
Social problem (medically well)	Female	<5	8	13	<5	7	11	9	<5	11	5	<5
Social problem (medically well)	Male	14	8	10	9	10	12	10	7	13	10	12
Cardiac arrest	Female	<5	7	<5	7	7	6	6	<5	<5	<5	<5
Cardiac arrest	Male	8	9	16	13	12	8	13	21	15	14	13

Loss of appetite	Female	17	13	10	8	6	5	9	<5	11	<5	9
Loss of appetite	Male	11	15	7	6	9	<5	<5	5	8	12	11
Frequent urination	Female	11	6	6	11	13	7	10	9	10	17	10
Frequent urination	Male	5	<5	5	6	<5	7	5	8	5	12	5
Coughing up blood (haemoptysis)	Female	6	7	6	<5	7	<5	<5	5	<5	<5	6
Coughing up blood (haemoptysis)	Male	13	13	10	8	10	12	<5	5	9	14	12
Injury of upper back	Female	9	11	7	5	<5	10	5	8	7	8	10
Injury of upper back	Male	6	7	8	6	9	7	<5	<5	7	8	10
Pain in genital area (generalised)	Female	5	8	7	<5	5	<5	<5	<5	5	6	7
Pain in genital area (generalised)	Male	10	14	7	6	5	5	9	8	12	7	8
Joint swelling	Female	<5	<5	8	<5	5	10	<5	6	5	5	13
Joint swelling	Male	6	<5	5	5	5	9	9	8	9	11	12
Nose : foreign body	Female	<5	6	5	<5	6	11	11	8	8	7	6
Nose : foreign body	Male	<5	7	11	10	6	<5	9	<5	<5	6	7
Collapse / fainting episode with loss of consciousness	Female	6	7	5	5	8	<5	5	12	6	11	<5
Collapse / fainting episode with loss of consciousness	Male	6	5	7	7	5	7	6	6	6	11	<5
Injury of abdomen	Female	5	<5	5	5	6	<5	6	<5	<5	<5	<5
Injury of abdomen	Male	<5	<5	9	5	14	6	11	6	11	6	5
Abnormal swelling groin area	Female				<5		<5	<5		<5		5
Abnormal swelling groin area	Male	10	7	7	16	12	13	7	12	10	7	9
Ear : discharge	Female	5	7	5	5	<5	<5	<5	6	<5	5	<5
Ear : discharge	Male	8	5	7	9	7	5	8	8	<5	8	5
Hypoglycaemia	Female	<5	<5	5	5	5	10	5	5	<5	<5	5
Hypoglycaemia	Male	<5	7	14	7	<5	<5	7	<5	6	<5	10
Problem related to penis	Male	9	13	<5	11	12	8	16	11	12	9	9
Nose : injury	Female	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	5
Nose : injury	Male	5	5	11	6	<5	7	<5	6	8	9	7
Nose : injury	Not Known					<5						
Foreign body in respiratory tract	Female	<5	5	<5	<5	<5	6	<5	<5	7	<5	<5
Foreign body in respiratory tract	Male	<5	<5	10	<5	6	<5	9	10	5	7	6
Rectal pain	Female		<5	<5	<5	<5	<5	<5	5	<5	6	5
Rectal pain	Male	5	<5	<5	<5	<5	5	13	9	<5	7	7
Problem related to vagina	Female	8	9	10	12	6	9	11	5	8	11	7
Behaviour : agitated / violent	Female	6		<5	<5	5	<5	7	<5	6	<5	<5
Behaviour : agitated / violent	Indeterminate							<5				
Behaviour : agitated / violent	Male	5	<5	7	<5	<5	6	<5	<5	6	8	<5
Throat : cough	Female	<5	<5	<5	5	<5	<5		5	5	5	13
Throat : cough	Male	<5	6	<5	<5		<5	<5	<5	5	7	<5
Itching	Female	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	6
Itching	Male	<5	5	<5	5	<5	<5	5	<5	<5	<5	<5
Food / foreign body in oesophagus	Female	<5	<5	<5	<5	<5	<5	<5	6	<5	<5	<5
Food / foreign body in oesophagus	Male	5	5	<5	<5	5	<5	5	6	5	<5	7
Photophobia	Female	<5	5	<5	6	<5	5	6	<5	<5	7	7
Photophobia	Male	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	<5

Low urine output	Female	<5	<5	6	5	5	<5	<5	<5	<5	<5	<5
Low urine output	Male	<5	<5	<5	<5	<5	<5	<5	<5	<5		9
Nausea without vomiting	Female	<5	<5	8	<5	<5	<5	12	<5	<5		<5
Nausea without vomiting	Male	<5		<5	<5	7	<5	<5	5	<5	<5	<5
Exposure to communicable disease (inc. needlestick / body fluids)	Female	<5	<5	<5	<5	<5	<5	6	<5	5	<5	<5
Exposure to communicable disease (inc. needlestick / body fluids)	Male	6	<5	<5	<5	<5	6	5	<5	5	5	<5
Infant with episodes not breathing (apnoea)	Female	<5	<5	<5	<5	7	<5	<5	<5	5	7	<5
Infant with episodes not breathing (apnoea)	Male	<5	<5	<5	5	<5	6	<5	<5	<5	<5	5
Ear : injury	Female	<5	6	<5	<5	<5	<5	<5	<5	<5	<5	
Ear : injury	Male	11		10	<5	<5	<5	7	<5	<5	<5	5
Hallucinations / delusions	Female	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hallucinations / delusions	Male	<5	5	<5	7	<5	<5	5	6	<5	<5	6
Hallucinations / delusions	Not Known								<5			
Ear : hearing loss	Female	<5	<5	6	<5	<5	<5	<5	<5	<5	<5	<5
Ear : hearing loss	Male	<5	<5	7	<5	5	5	5	<5	<5	<5	<5
Swollen leg (single)	Female	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5
Swollen leg (single)	Male	<5	<5	<5	8	9	5	<5	<5	<5	7	6
Abdominal distension	Female	6	<5	6	<5	<5		<5	<5	<5		6
Abdominal distension	Male	<5	<5	<5	6	<5	<5	<5		5	<5	5
Injury to genital area	Female			<5	<5	<5	<5	6		<5	<5	
Injury to genital area	Male	6	<5	<5	<5	5	<5	8	<5	<5	<5	<5
Noxious inhalation - gas / fumes / vapour / smoke	Female		<5	<5		<5		<5	<5	<5	8	<5
Noxious inhalation - gas / fumes / vapour / smoke	Male	<5	<5	5	<5	<5	<5	5	<5	<5	<5	<5
Pregnancy related : greater than 20 weeks	Female	8	<5	<5	<5	10	<5	10	<5	<5	<5	
Wound : sting	Female	<5	<5		6	<5	<5	5	8	<5	<5	
Wound : sting	Male		<5			<5	<5	5	8	<5	<5	<5
Pale colour	Female	<5		<5	<5	<5	<5	<5	<5	<5	6	<5
Pale colour	Male	<5			<5	<5	<5	<5	<5	<5	<5	5
Spontaneous bruising	Female	<5	<5	<5	<5	<5	<5	<5		<5	<5	
Spontaneous bruising	Male	<5	<5	<5	<5	<5	<5	<5	<5	<5		<5
Tremor	Female	<5	<5	<5		<5	5	<5	<5	<5	<5	<5
Tremor	Male	<5	<5	<5	<5	<5	<5	<5	<5	<5		<5
Hypothermia	Female	<5		<5			<5			<5	<5	<5
Hypothermia	Male	5	<5	6	<5	<5	<5	<5	<5	<5	<5	<5
Swollen legs (both)	Female		<5		<5	<5	<5	<5	<5			<5
Swollen legs (both)	Male		<5	<5		<5	<5		<5	<5	<5	<5
Electrical exposure (inc. lightning)	Female				<5	<5		<5	<5	<5	5	<5
Electrical exposure (inc. lightning)	Male				<5		<5	<5	<5	<5	<5	<5
Jaundice	Female		<5	<5			<5		<5	<5		<5
Jaundice	Male	7	<5	<5	<5	<5	<5	<5			<5	<5
Blue colour (cyanosis)	Female		<5	<5	<5	<5	<5	<5		<5	<5	<5
Blue colour (cyanosis)	Male	<5	<5	<5	<5	<5				<5	<5	

Major trauma (serious injury >1 body area)	Female	<5			<5	<5		<5	<5			
Major trauma (serious injury >1 body area)	Male	<5		<5	<5	<5		<5	<5	<5	<5	<5
Foreign body in vagina	Female	<5		<5	<5	5	5	<5		<5	<5	<5
Nose : congestion	Female	<5		<5		<5		<5	<5	<5		
Nose : congestion	Male	<5		<5	<5	<5	<5			<5	<5	<5
Respiratory arrest	Female		<5	<5	<5		<5	<5			<5	
Respiratory arrest	Male	<5	<5		<5			<5		<5	<5	<5
Injury of cervical region of back (disorder)	Female	<5	<5	<5			<5	<5	<5		<5	<5
Injury of cervical region of back (disorder)	Male	<5			<5		<5		<5			
Chemical exposure	Female	<5	<5					<5		<5		<5
Chemical exposure	Male		<5	<5			<5	<5		<5		
Ear : ringing in ears (tinnitus)	Female	<5			<5	<5					<5	<5
Ear : ringing in ears (tinnitus)	Male	<5	<5	<5		<5	<5	<5				<5
Injury of anus	Female	<5	<5	<5		<5	<5					
Injury of anus	Male	<5		<5	<5	<5	<5					
Near drowning	Female	<5		<5	<5		<5		<5			
Near drowning	Male	<5		<5	<5			<5			<5	
Problem related to breast	Female		<5	<5	<5		<5	<5	<5	<5		
Cold painful limb	Female						<5	<5		<5	<5	
Cold painful limb	Male					<5			<5	<5	<5	
Foreign body in rectum	Female						<5			<5	<5	
Foreign body in rectum	Male	<5		<5				<5	<5	<5	<5	
Insomnia	Female			<5	<5						<5	<5
Insomnia	Male	<5		<5		<5			<5			<5
States victim of sexual assault	Female		<5	<5	<5	<5	<5	<5				<5
Traumatic amputation	Male			<5			<5	<5	<5	<5	<5	<5
#N/A	Female											
#N/A	Male											
Hiccoughs	Female						<5					
Hiccoughs	Male		<5		<5			<5		<5	<5	
Cardiac arrest due to trauma	Male			<5						<5		
Frostbite	Male		<5									
Grand Total		12,330	#####	12,831	12,073	12,401	11,905	12,474	11,534	12,264	13,181	13,130